

PQIP Procedure List

| | |
|--|--|
| <p>Head and Neck</p> <p>Craniofacial resection (+/- reconstruction)</p> <p>Glossectomy (total)</p> <p>Laryngectomy (Horizontal supra-glottic / Vertical Hemi / Partial / Subtotal / Total)</p> <p>Laryngotracheal reconstruction following PLO</p> <p>Larynx reconstruction with graft</p> <p>Maxillectomy (partial/hemi) +/- reconstruction</p> <p>Mediastinal thyroidectomy/parathyroidectomy with sternotomy</p> <p>Partial excision of trachea and reconstruction</p> <p>Pharyngectomy (partial / total)</p> <p>Prosthetic replacement of temporomandibular joint</p> <p>Radical dissection of cervical lymph nodes (+/-myocutaneous flap reconstruction)</p> <p>Reconstruction of jaw</p> <p>Selective dissection of cervical lymph nodes, levels 1 to 5 (+/- 6) (+/- myocutaneous flap reconstruction)</p> <p>Tongue flap</p> | <p>Burns and Plastics</p> <p>Autograft to 5% or greater of TBSA</p> <p>Breast reconstruction (including partial) using a flap</p> <p>Delayed reconstruction of breast using pedicled TRAM</p> <p>Excision of burns wound/scar tissue >10% TBSA or 5% in the >65 years</p> <p>Lumpectomy and immediate partial reconstruction of breast using pedicled perforator flap</p> <p>Mastectomy with soft tissue reconstruction (to include pedicled reconstructions)</p> <p>Microvascular free tissue transfer</p> <p>Radical clearance of sarcoma of head and neck necessitating flap reconstruction</p> <p>Release of burn scar contracture, head, neck, hands, feet and genitalia</p> |
| <p>Abdominal - Lower GI</p> <p>Abdominal operation for Hirschprung's disease</p> <p>Abdominal revision of restorative proctocolectomy</p> <p>Abdominoperineal (AP) resection</p> <p>Anterior resection</p> | <p>Abdominal - Upper GI</p> <p>Anastomosis of gall bladder (to another viscus)</p> <p>Anastomosis of hepatic duct</p> <p>Anastomosis of pancreatic duct (to another viscus)</p> |

| | |
|--|---|
| <p>Colectomy</p> <p>Completion proctectomy</p> <p>Excision of transverse colon</p> <p>Exploratory laparotomy</p> <p>Hartmann's procedure</p> <p>Ileoanal anastomosis and creation of pouch</p> <p>Ileo-caecal resection (with anastomosis or ileostomy formation)</p> <p>Laparotomy for enterocutaneous fistula</p> <p>Left hemicolectomy (with anastomosis /colostomy)</p> <p>Panproctocolectomy and ileostomy</p> <p>Partial excision of rectum and sigmoid colon for prolapse</p> <p>Redo operations on ileum/colon</p> <p>Resection of duodenal tumour</p> <p>Resection of small bowel (+/- tumour)</p> <p>Reversal of Hartmann's procedure</p> <p>Right hemicolectomy (with anastomosis /colostomy)</p> <p>Sigmoid colectomy</p> <p>Total mesorectal excision (TME) including Trans-Anal / TATME</p> <p>Transanal endoscopic microsurgery</p> | <p>Bypass of oesophagus</p> <p>Closure of bypass of oesophagus</p> <p>Endoscopically assisted oesophagectomy</p> <p>Excision of lesion of pancreas / bile duct / liver</p> <p>Exploratory laparotomy</p> <p>Gastrectomy (partial / total) with excision of surrounding tissue</p> <p>Hepatectomy (partial / hemi / total)</p> <p>Ileo-caecal resection (with anastomosis or ileostomy formation)</p> <p>Laparotomy for enterocutaneous fistula</p> <p>Oesophagectomy (partial /total)/Oesophagogastrrectomy</p> <p>Open excision of lesion of oesophagus</p> <p>Pancreatectomy (partial/distal/total)</p> <p>Pancreaticoduodenectomy (Whipple procedure)</p> <p>Partial excision of bile duct and anastomosis of bile duct to duodenum/jejunum</p> <p>Radiofrequency thermocoagulation of the liver with scalpel resection</p> <p>Repair of bile duct</p> <p>Repair of ruptured oesophagus</p> <p>Revision of anti-reflux procedures</p> <p>Revision of gastro-jejunostomy</p> <p>Splenectomy (partial/total)</p> <p>Transabdominal anti-reflux operations</p> <p>Transabdominal repair of diaphragmatic hernia</p> <p>Transthoracic fundoplication</p> |
|--|---|



| | |
|---|--|
| | <p>Transthoracic repair of diaphragmatic hernia (acquired)</p> <p>Transthoracic repair of paraoesophageal hiatus hernia</p> <p>Vagotomy and pyloroplasty</p> <p>VATS excision lesion of oesophagus</p> |
| <p>Urology</p> <p>Appendicovesicostomy / Mitrofanoff procedure</p> <p>Bilateral replantation of ureter into bladder</p> <p>Bilateral Ureterolysis</p> <p>Complex secondary repair of hypospadias</p> <p>Construction of ileal conduit</p> <p>Cystectomy</p> <p>Enlargement of bladder</p> <p>Enterocystoplasty</p> <p>Excision of ureterocele (with or without ureteric reimplantation) – bilateral</p> <p>Ileal or colonic replacement of ureter</p> <p>Laparoscopic pyeloplasty</p> <p>Laparoscopic upper or lower pole heminephrectomy</p> <p>Nephrectomy (non-transplant)</p> <p>Nephroureterectomy</p> <p>Open correction vesicoureteric reflux-bilateral</p> <p>Pelvic exenteration</p> <p>Percutaneous nephrolithotomy (including cystoscopy and retrograde catheterisation)</p> <p>Prostatic cryotherapy</p> <p>Radical prostatectomy</p> <p>Repair of bladder exstrophy</p> | <p>Abdominal - Hepatobiliary</p> <p>Anastomosis of gall bladder (to another viscus)</p> <p>Anastomosis of hepatic duct</p> <p>Anastomosis of pancreatic duct (to another viscus)</p> <p>Associating Liver Partition and Portal vein Ligation for Staged hepatectomy (ALPPS)</p> <p>Creation of portocaval shunt</p> <p>Excision of lesion of bile duct</p> <p>Excision of lesion – Pancreas</p> <p>Exploratory laparotomy</p> <p>Frey's procedure</p> <p>Hepatectomy (Partial / Hemi/ Total)</p> <p>Pancreatectomy (partial/distal/total)</p> <p>Pancreaticoduodenectomy (Whipple procedure)</p> <p>Partial excision of bile duct and anastomosis of bile duct</p> <p>Radiofrequency thermocoagulation of liver with scalpel liver resection</p> <p>Repair of bile duct</p> <p>Resection of lesion(s) of liver</p> <p>Splenectomy (partial/total)</p> |

| | |
|---|---|
| <p>Repair of epispadias</p> <p>Repair of vesicocolic fistula</p> <p>Replantation of ureter into bowel (including bilateral)</p> <p>Retroperitoneal lymph node dissection</p> | |
| <p>Spinal</p> <p>Anterior correction of degenerative adult kyphosis with instrumentation</p> <p>Anterior correction of scoliosis with instrumentation</p> <p>Anterior discectomy +/- decompression and fusion (cervical / lumbar regions)</p> <p>Anterior vertebrectomy with decompression and implant</p> <p>Combined anterior and posterior correction and instrumentation, of idiopathic scoliosis</p> <p>Combined anterior discectomy and posterior fusion</p> <p>Combined anterior vertebrectomy with posterior fusion and instrumentation</p> <p>Correction of degenerative scoliosis including decompression</p> <p>Decompression for central spinal stenosis (three or more levels)</p> <p>Excision of intradural lesion</p> <p>Excision of intramedullary tumour</p> <p>Open door laminoplasty of the cervical region (Hirobyashi)</p> <p>Open operations on spinal cord</p> <p>Partial excision of spinal cord</p> <p>Posterior correction of degenerative adult kyphosis with instrumentation</p> | <p>Thoracics</p> <p>Bullectomy</p> <p>Carinal resection (+/- pneumonectomy)</p> <p>Correction of pectus deformity of chest wall</p> <p>Decortication of pleura of the lung</p> <p>Excision of chest wall tumour (+/- reconstruction)</p> <p>Lung resection with excision of chest wall</p> <p>Lung volume reduction</p> <p>Mediastinal parathyroidectomy with sternotomy</p> <p>Open excision of lesion of lung</p> <p>Open resection of mediastinal tumour</p> <p>Partial excision of trachea with reconstruction</p> <p>Percutaneous radiofrequency ablation of malignant neoplasm of lung</p> <p>Pleural biopsy (open)</p> <p>Plication of paralysed diaphragm</p> <p>Pneumonectomy</p> <p>Pulmonary lobectomy including segmental resection</p> <p>Repair of rupture of diaphragm</p> <p>Secondary correction of scolios-related chest wall deformity (posterior costoplasty)</p> <p>Sleeve resection of bronchus</p> <p>Thoracoplasty</p> |

| | |
|--|---|
| <p>Posterior correction of scoliosis with instrumentation</p> <p>Posterior decompression with fusion (thoracic region)</p> <p>Posterior fusion +/- decompression +/- discectomy (cervical / lumbar regions)</p> <p>Prosthetic replacement of lumbar disc</p> <p>Repair of spinal myelomeningocele</p> <p>Revision anterior decompression with fusion and instrumentation (lumbar region)</p> <p>Revision of decompression for central spinal stenosis</p> <p>Revision posterior fusion +/- instrumentation (lumbar region)</p> <p>Revisional anterior discectomy (cervical region)</p> <p>Revisional combined anterior discectomy and posterior fusion (thoracic region)</p> <p>Revisional posterior decompression with fusion (thoracic region)</p> <p>Revisional transthoracic/antero-lateral excision of intervertebral disc +/- fusion</p> <p>Trans oral surgery including posterior fixation</p> <p>Transthoracic/antero-lateral excision of intervertebral disc +/- fusion</p> | <p>Thoracotomy (exploratory)</p> <p>Thoracotomy and closure of bronchopleural fistula</p> <p>Thoracotomy and pleurectomy/pleurodesis (+/- ligation of bullae)</p> <p>Tracheoplasty</p> <p>VATS debridement of empyema</p> <p>VATS excision lesion of oesophagus</p> <p>VATS excision of mediastinal tumour (including thymectomy)</p> <p>VATS lobectomy</p> <p>VATS metastasectomy</p> <p>VATS oesophageal/oesophagogastric myotomy</p> <p>VATS pleurodesis/pleurectomy</p> <p>VATS pneumonectomy</p> <p>VATS sympathectomy</p> <p>VATS wedge resection of lung</p> |
|--|---|

| | |
|--|--|
| <p>Orthopaedics</p> <ul style="list-style-type: none"> Complex pelvic osteotomies and fixation, e.g. triple osteotomy, peri-acetabular osteotomy Disarticulation of hip/shoulder/arm Femoral Replacement (proximal distal / total) Forequarter amputation Hemipelvectomy Hindquarter amputation Proximal Tibial Replacement Radical clearance of sarcoma of trunk or limbs(+/- amputation or insertion of prosthesis) Removal of total hip replacement Revision of total hip replacement Revision of total replacement of knee joint Sacrectomy Soft tissue sarcoma excision > 10cm with vascular involvement | <p>Abdominal - Other</p> <ul style="list-style-type: none"> Abdominal wall reconstruction Adrenalectomy Complex restoration of intestinal continuity Excision of retroperitoneal tumour (+/- ureterolysis) Exploratory laparotomy Intestinal failure reconstruction Laparotomy + excision of sarcoma tumour Laparotomy + restoration of intestinal continuity Pelvic exenteration Retroperitoneal lymph node dissection |
| <p>Gynaecology</p> <ul style="list-style-type: none"> Anterior exenteration of pelvis Anterior (+/- posterior) colporrhaphy with vaginal hysterectomy (including primary repair of enterocele and cystoscopy) Block dissection of pelvic lymph nodes Hysterectomy with excision/biopsy and or removal of omentum and uterine adnexa for ovarian malignancy Radical vulvectomy Reconstruction of vagina Repair of rectovaginal fistula | <p>Vascular</p> <ul style="list-style-type: none"> Aorto-iliac, aorto-femoral, Aorto-bifemoral, ilio-femoral bypass Axillo-bifemoral bypass Axillo-unifemoral bypass Block dissection of para-aortic lymph nodes Bypass of subclavian artery Endarterectomy and patch repair of iliac artery Endarterectomy and patch repair of subclavian artery |

| | |
|---|---|
| Posterior exenteration of pelvis | Endarterectomy and patch repair of visceral branch of abdominal aorta |
| Radical hysterectomy and lymphadenectomy (Wertheim's) | Endarterectomy of femoral artery |
| Radical trachelectomy and removal of lymph nodes | Excision of infected aortic graft with bypass |
| Total exenteration of pelvis | Femoro-distal calf bypass |
| Vaginal hysterectomy including salpingo-oophorectomy | Femoro-femoral bypass |
| | Femoro-popliteal bypass |
| | Laparoscopic para-aortic lymph node dissection |
| | Open embolectomy of artery |
| | Open infrarenal abdominal aortic aneurysm bifurcation graft |
| | Open infrarenal abdominal aortic aneurysm tube graft |
| | Open operations on iliac artery |
| | Operations on lymphatic duct not elsewhere classified |
| | Other open operations on visceral branch of abdominal aorta |
| | Radical dissection of cervical lymph nodes |
| | Reconstruction of renal artery(ies) |
| | Reconstruction/bypass for popliteal aneurysm |
| | Replacement of thoracoabdominal aneurysms |
| | Revision femoral bypass graft |
| | Revision of prosthesis of abdominal aorta |
| | Selective dissection of cervical lymph nodes, levels 1 to 4 |
| | Selective dissection of cervical lymph nodes, levels 1 to 5 (+/- 6) |
| | Transluminal operations on renal artery |