

PQIP Procedure List

<p>Head and Neck</p> <p>Craniofacial resection (+/- reconstruction)</p> <p>Glossectomy (total)</p> <p>Laryngectomy (Horizontal supra-glottic / Vertical Hemi / Partial / Subtotal / Total)</p> <p>Laryngotracheal reconstruction following PLO</p> <p>Larynx reconstruction with graft</p> <p>Maxillectomy (partial/hemi) +/- reconstruction</p> <p>Mediastinal thyroidectomy/parathyroidectomy with sternotomy</p> <p>Partial excision of trachea and reconstruction</p> <p>Pharyngectomy (partial / total)</p> <p>Prosthetic replacement of temporomandibular joint</p> <p>Radical dissection of cervical lymph nodes (+/- distant or local myocutaneous flap reconstruction)</p> <p>Reconstruction of jaw</p> <p>Selective dissection of cervical lymph nodes, levels 1 to 5 (+/- 6) (+/- myocutaneous flap reconstruction, local or distant)</p> <p>Tongue flap</p> <p>VATS excision of mediastinal tumour (including thymectomy)</p>	<p>Burns and Plastics</p> <p>Autograft to 5% or greater of TBSA</p> <p>Breast reconstruction (including partial) using a flap</p> <p>Delayed reconstruction of breast using pedicled TRAM</p> <p>Excision of burns wound/scar tissue >10% TBSA or 5% in the >65 years</p> <p>Lumpectomy and immediate partial reconstruction of breast using pedicled perforator flap</p> <p>Mastectomy with soft tissue reconstruction (to include pedicled reconstructions)</p> <p>Microvascular free tissue transfer</p> <p>Radical clearance of sarcoma of head and neck necessitating flap reconstruction</p> <p>Release of burn scar contracture, head, neck, hands, feet and genitalia</p>
<p>Abdominal - Lower GI</p> <p>Abdominal operation for Hirschprung's disease</p>	<p>Abdominal - Upper GI</p>

<p>Abdominal revision of restorative proctocolectomy</p> <p>Abdominoperineal (AP) resection with anastomosis (+/- pouch)</p> <p>Abdominoperineal resection with end colostomy</p> <p>Abdominoperineal pull-through resection with colo-anal anastomosis +/- colonic pouch and associated stoma</p> <p>Anterior resection</p> <p>Colectomy (total and ileorectal anastomosis)</p> <p>Colectomy and colostomy and preservation of the rectum</p> <p>Completion proctectomy</p> <p>Excision of retroperitoneal Tumour (+/- Ureterolysis)</p> <p>Excision of transverse colon</p> <p>Exploratory laparotomy</p> <p>Hartmann's procedure</p> <p>Ileoanal anastomosis and creation of pouch</p> <p>Ileo-caecal resection (with anastomosis or ileostomy formation)</p> <p>Laparotomy for enterocutaneous fistula</p> <p>Left hemicolectomy (with anastomosis /colostomy)</p> <p>Panproctocolectomy and ileostomy</p> <p>Partial excision of rectum and sigmoid colon for prolapse</p> <p>Redo operations on ileum/colon</p> <p>Resection of duodenal tumour</p> <p>Resection of small bowel (+/- tumour)</p> <p>Reversal of Hartmann's procedure</p> <p>Right hemicolectomy (with anastomosis /colostomy)</p> <p>Sigmoid colectomy</p>	<p>Anastomosis of gall bladder (to another viscus)</p> <p>Anastomosis of hepatic duct</p> <p>Anastomosis of pancreatic duct (to another viscus)</p> <p>Bypass of oesophagus</p> <p>Closure of bypass of oesophagus</p> <p>Endoscopically assisted oesophagectomy</p> <p>Excision of lesion of pancreas / bile duct / liver</p> <p>Exploratory laparotomy</p> <p>Gastrectomy (partial / total) with excision of surrounding tissue</p> <p>Hepatectomy including partial</p> <p>Hemi hepatectomy (right/left)</p> <p>Ileo-caecal resection (with anastomosis or ileostomy formation)</p> <p>Laparoscopic biliary gastric bypass</p> <p>Laparotomy for enterocutaneous fistula</p> <p>Oesophagocardiomyotomy (Heller's Procedure)</p> <p>Oesophagectomy (partial /total)/Oesophagogastrectomy</p> <p>Open excision of lesion of oesophagus</p> <p>Pancreatectomy (partial/distal/total)</p> <p>Pancreaticoduodenectomy (Whipple procedure)</p> <p>Partial excision of bile duct and anastomosis of bile duct to duodenum/jejunum</p> <p>Radiofrequency thermocoagulation of the liver with scalpel resection</p> <p>Repair of bile duct</p>
--	--

<p>Total mesorectal excision (TME) including Trans-Anal / TATME Transanal endoscopic microsurgery</p>	<p>Repair of ruptured oesophagus Resection of duodenal tumour Resection of lesion(s) of the Liver Resection of small bowel (+/- Tumour) Revision of anti-reflux procedures Revision of gastro-jejunostomy Splenectomy (partial/total) Transabdominal anti-reflux operations Transabdominal repair of diaphragmatic hernia Transthoracic fundoplication Transthoracic repair of diaphragmatic hernia (acquired) Transthoracic repair of paraoesophageal hiatus hernia Vagotomy and pyloroplasty VATS excision lesion of oesophagus</p>
<p>Urology</p> <p>Bilateral replantation of ureter into bladder Bilateral Ureterolysis Bilateral excision of ureterocoele (+/- Ureteric reimplantation) Complex secondary repair of hypospadias Construction of ileal conduit Cystectomy Enlargement of bladder Enterocystoplasty Ileal or colonic replacement of ureter Laparoscopic pyeloplasty Laparoscopic upper or lower pole heminephrectomy</p>	<p>Abdominal - Hepatobiliary</p> <p>Anastomosis of gall bladder (to another viscus) Anastomosis of hepatic duct Anastomosis of pancreatic duct (to another viscus) Associating Liver Partition and Portal vein Ligation for Staged hepatectomy (ALPPS) Creation of portocaval shunt Excision of lesion of bile duct Excision of lesion – Pancreas Exploratory laparotomy Frey's procedure Hepatectomy (Partial / Hemi/ Total) Hemihepatectomy (right/left) Pancreatectomy (partial/distal/total)</p>



<p>Mitrofanoff appendicovesectomy</p> <p>Nephrectomy (non-transplant)</p> <p>Nephroureterectomy</p> <p>Open correction vesicoureteric reflux-bilateral</p> <p>Pelvic exenteration</p> <p>Percutaneous nephrolithotomy (PCNL)</p> <p>Prostatic cryotherapy</p> <p>Radical prostatectomy</p> <p>Radical Nephrectomy</p> <p>Repair of bladder exstrophy</p> <p>Repair of epispadias</p> <p>Repair of vesicocolic fistula</p> <p>Replantation of ureter into bowel</p> <p>Retroperitoneal lymph node dissection</p>	<p>Pancreaticoduodenectomy (Whipple procedure)</p> <p>Partial excision of bile duct and anastomosis of bile duct to duodenum and jejunum</p> <p>Radiofrequency thermocoagulation of liver with scalpel liver resection</p> <p>Repair of bile duct</p> <p>Resection of lesion(s) of liver</p> <p>Splenectomy (partial/total)</p>
<p>Spinal</p> <p>Anterior correction of degenerative adult kyphosis with instrumentation</p> <p>Anterior correction of scoliosis with instrumentation (+/- Fusion)</p> <p>Anterior discectomy +/- decompression and fusion (cervical / lumbar regions)</p> <p>Anterior vertebrectomy with decompression and implant</p> <p>Combined anterior and posterior correction and instrumentation, +/- fusion of idiopathic scoliosis</p> <p>Combined anterior and posterior fusion of cervical spine</p> <p>Combined anterior approach discectomy, decompression and fusion and posterior fusion (lumbar region)</p>	<p>Thoracics</p> <p>Carinal resection (+/- pneumonectomy)</p> <p>Correction of pectus deformity of chest wall</p> <p>Decortication of pleura of the lung</p> <p>Excision of chest wall tumour (+/- reconstruction)</p> <p>Lung resection with excision of chest wall</p> <p>Lung volume reduction</p> <p>Mediastinal parathyroidectomy with sternotomy</p> <p>Open excision of lesion of lung</p> <p>Open Pneumonectomy</p> <p>Open resection of mediastinal tumour</p> <p>Partial excision of trachea with reconstruction</p> <p>Percutaneous radiofrequency ablation of malignant neoplasm of lung</p>

<p>Combined anterior discectomy and posterior fusion (thoracic region)</p> <p>Combined anterior vertebrectomy with posterior fusion and instrumentation</p> <p>Correction of degenerative scoliosis including decompression</p> <p>Decompression for central spinal stenosis (three or more levels)</p> <p>Excision of intradural lesion</p> <p>Excision of intramedullary tumour</p> <p>Open door laminoplasty of the cervical region (Hirobyashi)</p> <p>Open operations on spinal cord</p> <p>Partial excision of spinal cord</p> <p>Posterior correction of degenerative adult kyphosis with instrumentation</p> <p>Posterior correction of scoliosis with instrumentation</p> <p>Posterior decompression with fusion (thoracic region)</p> <p>Posterior fusion +/- decompression +/- discectomy (cervical / lumbar regions)</p> <p>Primary anterior discectomy, decompression and anterior fusion +/- instrumentation (lumbar region)</p> <p>Primary posterior fusion with instrumentation +/- decompression +/- discectomy (including graf stabilisation and all fusion approaches) (lumbar region)</p> <p>Prosthetic replacement of lumbar disc</p> <p>Repair of spinal myelomeningocele</p> <p>Revision anterior decompression with fusion and instrumentation (lumbar region)</p>	<p>Pleural biopsy (open)</p> <p>Plication of paralysed diaphragm</p> <p>Pulmonary lobectomy including segmental resection</p> <p>Repair of rupture of diaphragm</p> <p>Secondary correction of scolios-related chest wall deformity (posterior costoplasty)</p> <p>Sleeve resection of bronchus</p> <p>Thoracoplasty</p> <p>Thoracotomy (exploratory)</p> <p>Thoracotomy and bullectomy (bilateral/unilateral)</p> <p>Thoracotomy and closure of bronchopleural fistula</p> <p>Thoracotomy and lung volume reduction</p> <p>Thoracotomy and pleurectomy/pleurodesis (+/- ligation of bullae)</p> <p>Tracheoplasty</p> <p>VATS bullectomy (unilateral/bilateral)</p> <p>VATS debridement of empyema</p> <p>VATS excision lesion of oesophagus</p> <p>VATS excision of mediastinal tumour (including thymectomy)</p> <p>VATS lobectomy</p> <p>VATS lung volume reduction (unilateral/bilateral)</p> <p>VATS metastasectomy</p> <p>VATS oesophageal/oesophagogastric myotomy</p> <p>VATS pleurodesis/pleurectomy</p> <p>VATS pneumonectomy</p> <p>VATS sympathectomy (bilateral/unilateral)</p>
--	--

<p>Revision of decompression for central spinal stenosis</p> <p>Revision posterior fusion +/- instrumentation (lumbar region)</p> <p>Revisonal anterior discectomy (cervical region)</p> <p>Revisonal combined anterior discectomy and posterior fusion (thoracic region)</p> <p>Revisonal posterior decompression with fusion (thoracic region)</p> <p>Revisonal transthoracic/antero-lateral excision of intervertebral disc +/- fusion</p> <p>Trans oral surgery including posterior fixation</p> <p>Transthoracic/antero-lateral excision of intervertebral disc +/- fusion</p>	<p>VATS wedge resection of lung</p>
---	-------------------------------------



<p>Orthopaedics</p> <p>Complex pelvic osteotomies and fixation, e.g. triple osteotomy, peri-acetabular osteotomy</p> <p>Disarticulation of hip/shoulder/arm</p> <p>Femoral Replacement (proximal/distal / total)</p> <p>Forequarter amputation</p> <p>Hemipelvectomy</p> <p>Hindquarter amputation</p> <p>Proximal Tibial Replacement</p> <p>Radical clearance of sarcoma of trunk or limbs(+/- amputation or insertion of prosthesis)</p> <p>Removal of total hip replacement (+/- formation of pseudarthrosis)</p> <p>Revision of total hip replacement</p> <p>Revision of total replacement of knee joint</p> <p>Sacrectomy</p> <p>Soft tissue sarcoma excision > 10cm with vascular involvement</p> <p>Total Femoral Replacement</p> <p>Two stage revision of total knee replacement - first stage</p>	<p>Abdominal - Other</p> <p>Adrenalectomy (unilateral/bilateral)</p> <p>Complex abdominal wall reconstruction</p> <p>Complex restoration of intestinal continuity</p> <p>Cytoreductive surgery +/- intraperitoneal chemotherapy</p> <p>Excision of retroperitoneal tumour (+/- ureterolysis)</p> <p>Exploratory laparotomy</p> <p>Intestinal failure reconstruction</p> <p>Laparotomy + excision of sarcoma tumour</p> <p>Laparotomy + restoration of intestinal continuity</p> <p>Pelvic exenteration</p> <p>Retroperitoneal lymph node dissection</p>
<p>Gynaecology</p> <p>Anterior exenteration of pelvis</p> <p>Block dissection of pelvic lymph nodes</p> <p>Hysterectomy with both excision/biopsy/removal of omentum + excision/biopsy/removal of uterine adnexa</p> <p>Posterior exenteration of pelvis</p> <p>Radical hysterectomy</p>	<p>Vascular</p> <p>Aorto-iliac, aorto-femoral, Aorto-bifemoral, ilio-femoral bypass</p> <p>Axillo-bifemoral bypass</p> <p>Axillo-unifemoral bypass</p> <p>Block dissection of para-aortic lymph nodes</p> <p>Bypass of subclavian artery</p>

Radical trachelectomy / cervicectomy	Endarterectomy and patch repair of iliac artery
Radical vulvectomy	Endarterectomy and patch repair of subclavian artery
Reconstruction of vagina	Endarterectomy and patch repair of visceral branch of abdominal aorta
Repair of rectovaginal fistula	Endarterectomy of femoral artery
Posterior exenteration of pelvis	Excision of infected aortic graft with bypass
Vaginal hysterectomy with anterior (+/- posterior) repair (colporrhaphy)	Femoro-distal calf bypass (Using vein cuff/prosthesis/patch/vein)
Vaginal hysterectomy with salpingo-oophorectomy	Femoro-femoral bypass (Using vein cuff/prosthesis/patch/vein)
	Femoro-popliteal bypass (Using vein cuff/prosthesis/patch/vein)
	Laparoscopic para-aortic lymph node dissection
	Open embolectomy of artery
	Open infrarenal abdominal aortic aneurysm bifurcation graft
	Open infrarenal abdominal aortic aneurysm tube graft
	Open operations on iliac artery
	Operations on lymphatic duct not elsewhere classified
	Other open operations on visceral branch of abdominal aorta
	Radical dissection of cervical lymph nodes
	Reconstruction of renal artery(ies)
	Reconstruction/bypass for popliteal aneurysm
	Replacement of thoracoabdominal aneurysms
	Revision femoral bypass graft
	Revision of prosthesis of abdominal aorta

	<p>Selective dissection of cervical lymph nodes, levels 1 to 4</p> <p>Selective dissection of cervical lymph nodes, levels 1 to 5 (+/- 6)</p> <p>Transluminal operations on renal artery</p>
--	--